CIGO®

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name T80NR (80-mil PVC-P Sheet)

Version # 01

Issue date 21-August-2013

CAS # Mixture
Manufacturer information CETCO

2870 Forbs Avenue

Hoffman Estates, IL 60192 United States

safety.data@amcol.com http://www.cetco.com/

General Information (800) 527-9948 CHEMTREC® (800) 424-9300

2. Hazards Identification

Emergency overviewCancer hazard. Some of the components of this product are hazardous in the respirable form.

However, because of the physical nature of this product, dust generation is not expected. May be

irritating to eyes.

OSHA regulatory status

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

Routes of exposure Inhalation. Eye contact.

Eyes Avoid contact with eyes. May cause eye irritation.

Skin Avoid contact with the skin.

Inhalation May cause cancer by inhalation. Prolonged inhalation may be harmful. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Ingestion Do not ingest.

3. Composition / Information on Ingredients

Components	CAS#	Percent
POLYVINYLCHLORIDE	9002-86-2	100
Constituents	CAS#	Percent
Organic Plasticizers	N/A	<= 45
Antimony	7440-36-0	<= 3.5
Petroleum distillates, hydrotreated light	64742-47-8	<= 2.5
Chrome yellow (Lead chromate pigment)	1344-37-2	<= 2

Composition comments Occupational Exposure Limits for constituents are listed in Section 8.

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if symptoms occur.

Skin contact Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. For

minor skin contact, avoid spreading material on unaffected skin. Get medical attention if

symptoms occur.

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if

victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped

with a one-way valve or other proper respiratory medical device. Get medical attention if

symptoms occur.

6123 Version #: 01 Revision date: 21-August-2013 Print date: 21-August-2013

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting

occurs, keep head low so that stomach content doesn't get into the lungs. Do not use

mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If

ingestion of a large amount does occur, call a poison control center immediately.

Notes to physician In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention. In case of shortness

of breath, give oxygen. Keep victim warm. Keep victim under observation.

5. Fire Fighting Measures

Flammable properties

The product is not flammable. No unusual fire or explosion hazards noted.

Extinguishing media

Suitable extinguishing

media

Water. Water spray. Foam. Carbon dioxide (CO2). Powder.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Specific methods Cool containers exposed to flames with water until well after the fire is out.

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Local authorities should be advised if significant spillages

cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind.

Keep out of low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Following product recovery, flush area with water. For waste disposal, see section 13 of the

MSDS.

7. Handling and Storage

Handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes.

Avoid prolonged exposure. Handle and open container with care.

Storage Keep container tightly closed. Keep out of the reach of children. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
POLYVINYLCHLORIDE (9002-86-2)	TWA	1 mg/m3	Respirable fraction.
Constituents	Туре	Value	
Antimony (7440-36-0)	TWA	0.5 mg/m3	
US. OSHA Specifically Regulate	d Substances (29 CFR 1910.100	1-1050)	
Components	Type	Value	
POLYVINYLCHLORIDE (9002-86-2)	STEL	5 ppm	
	TWA	1 ppm	
US. OSHA Table Z-1 Limits for A	ir Contaminants (29 CFR 1910.1	1000)	
Constituents	Туре	Value	
Antimony (7440-36-0)	PEL	0.5 mg/m3	

Exposure guidelines

US OSHA Specifically Regulated Substances: Action level and Reference

POLYVINYL CHLORIDE (EXCLUDING FABRICATED 0.5 ppm PRODUCT) [LIMITS EXPRESSED AS VINYL CHLORIDE MONOMER] (CAS 9002-86-2)

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

considerations

Eye / face protection Avoid contact with eyes. Chemical goggles are recommended. Eye wash fountain is

recommended.

Skin protection Wear protective gloves.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA).

General hygiene Avoid contact with eyes. Keep away from food and drink. Handle in accordance with good

industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance Not available.

Physical state Solid. **Form** Solid.

Color Not available. Odor Not available. Not available. **Odor threshold** Not available. pН Vapor pressure Not available. Vapor density Not available. **Boiling point** Not available. Melting point/Freezing point Not available. Solubility (water) Not available.

1.406040604 estimated Specific gravity

Relative density Not available. Not available. Flash point Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Not available. **Auto-ignition temperature**

Other data

1.41 g/cm3 estimated Density

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

Conditions to avoid None under normal conditions.

Incompatible materials Not available. Hazardous decomposition Hydrogen chloride.

products

11. Toxicological Information

Toxicological data

Constituents Species	Test Results
----------------------	--------------

Chrome yellow (Lead chromate pigment) (1344-37-2)

Acute Oral

LD50 Rat 5000.0001 mg/kg

Petroleum distillates, hydrotreated light (64742-47-8)

Acute

Dermal

LD50 Rabbit 2000.0001 mg/kg

Inhalation

LC50 5.2001 mg/l/4h Rat

Material name: T80NR (80-mil PVC-P Sheet)

6123 Version #: 01 Revision date: 21-August-2013 Print date: 21-August-2013

Constituents Species		Test Results	
Oral			
LD50	Rat	5000.0001 mg/kg	
Antimony (7440-36-0)			
Acute			
Oral			
LD50	Rat	7000 mg/kg	
Other			
LD50	Guinea pig	150 mg/kg	
	Rat	100 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Local effects May be irritating to eyes.

Chronic effects Hazardous by OSHA criteria. Prolonged inhalation may be harmful.

Carcinogenicity Hazardous by OSHA criteria.

ACGIH Carcinogens

POLYVINYLCHLORIDE (CAS 9002-86-2)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

POLYVINYLCHLORIDE (CAS 9002-86-2) 3 Not classifiable as to carcinogenicity to humans.

US OSHA Hazard Categories (1)

POLYVINYLCHLORIDE (CAS 9002-86-2) Cancer

12. Ecological Information

Ecotoxicological data

Constituents		Species	Test Results	
Chrome yellow (Lead chromate pigment) (1344-37-2)				
Fish	LC50	Fish	10000.0001 mg/L, 96 Hours	
Petroleum distillates, hydro	otreated light (6474	2-47-8)		
Fish	LC50	Fish	45 mg/L, 96 Hours	
Aquatic				
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours	
Antimony (7440-36-0)				
Aquatic				
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	6.2 - 8.3 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This product,

in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous

waste. Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not applicable.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as dangerous goods.

Material name: T80NR (80-mil PVC-P Sheet)
6123 Version #: 01 Revision date: 21-August-2013 Print date: 21-August-2013

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2)

Not regulated.

DEA Essential Chemical Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Antimony (CAS 7440-36-0) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Antimony (CAS 7440-36-0) Listed.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No Delayed Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Inventory name

Section 302 extremely hazardous substance

No

Section 311 hazardous

Country(s) or region

No

chemical

Inventory status

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - New Jersey RTK - Substances: Listed substance

Antimony (CAS 7440-36-0) Listed. POLYVINYLCHLORIDE (CAS 9002-86-2) Listed.

Material name: T80NR (80-mil PVC-P Sheet)
6123 Version #: 01 Revision date: 21-August-2013 Print date: 21-August-2013

Yes

On inventory (yes/no)*

US - Pennsylvania RTK - Hazardous Substances: All compounds of this substance are considered environmental hazards

Antimony (CAS 7440-36-0) LISTED

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Antimony (CAS 7440-36-0) Listed.

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or

completeness nor assumes any liability, for its use. It is the user's responsibility to verify the

suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the

text.

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Ingredients

Material name: T80NR (80-mil PVC-P Sheet)
6123 Version #: 01 Revision date: 21-August-2013 Print date: 21-August-2013