SAFETY DATA SHEET



1. Identification

1. Identification			
Product identifier	ACCOFLOC® 325		
Other means of identification			
CAS number	1302-78-9		
Synonyms	SMECTITE CLAY		
Recommended use	Not available.		
Recommended restrictions	presence of respirable dust	and respirable cry roper use and har	case of resale) should be informed of the potential stalline silica as well as their potential hazards. Indling of this material should be provided as required
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	CETCO Energy Services Co	ompany, an MTI C	ompany
Address	2870 Fords Avenue		
	Hoffman Estates		
	Covington, IL 60192 United States		
Telephone	General Information	985 871-4700	
Website	http://www.cetcoenergyservi	ices.com/	
E-mail	safetydata@mineralstech.co	om	
Emergency phone number	Emergency	1.866.519.4752/	1 760 476 3962
Americas	1.866.519.4752 (US, Canad	la, Mexico) 1 760 4	476 3962
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity		Category 1A
	Specific target organ toxicity exposure	v, repeated	Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		

Label elements



	\checkmark
Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Material can be slippery when wet

90% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Substances

Constituents

Constituents				
Chemical name	Common name and synonyms	CAS number	%	
QUARTZ	CRYSTALLINE SILICA, QUARTZ SILICA (QUARTZ)	14808-60-7	<= 6	
CRISTOBALITE		14464-46-1	<= 2	
*Designates that a specific chemi	cal identity and/or percentage of composition ha	s been withheld as a trade se	cret.	
Composition comments	Occupational Exposure Limits for constituents	are listed in Section 8.		
4. First-aid measures				
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.		
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops ar	nd persists.	
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Get medical attention if symptoms occur.			
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.			
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
5. Fire-fighting measures				
Suitable extinguishing media	Use any media suitable for the surrounding fires.			
Unsuitable extinguishing media	Not applicable, non-combustible.			
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.			
Special protective equipment	Material can be slippery when wet. Firefighters should wear full protective gear.			

Special protective equipment
and precautions for firefightersMaterial can be slippery when wet. Firefighters should wear full protective gear.Fire fighting
equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsThis material will not burn. Material can be slippery when wet No unusual fire or explosion hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Wear a dust mask if dust is generated above exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without ris Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water. 	
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.	
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Туре	Value	Form
CRISTOBALITE (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFF Constituents	R 1910.1000) Type	Value	Form
TRADE SECRET	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Constituents	Values Type	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Constituents	Chemical Hazards Type	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.		
-	such as personal protective equip		
Eye/face protection	Applicable for industrial settings only. If contact is likely, safety glasses with side shields are recommended.		
Skin protection			
Hand protection	Applicable for industrial settings onl	y. Suitable gloves can be recom	mended by the glove suppl
Other	Applicable for industrial settings only. Use of protective coveralls and long sleeves is recommended.		
	Applicable for industrial settings only. In case of inadequate ventilation, use respiratory protectior		
Respiratory protection	Applicable for industrial settings onl	In case of inadequate ventilati	on, use respiratory protecti

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Lump, granular or fine powder.	
Physical state	Solid.	
Form	Powder. Various.	
Color	Various.	
Odor	None.	
Odor threshold	Not applicable.	
рН	8.5 - 11	
Melting point/freezing point	> 842 °F (> 450 °C) / Not applicable.	
Initial boiling point and boiling	Not applicable.	
range		
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	This product is not flammable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower	Not applicable.	
(%)		
Flammability limit - lower (%) temperature	Not applicable.	
Flammability limit - upper (%)	Not applicable.	
Flammability limit - upper	Not applicable.	
(%) temperature		
Explosive limit - lower (%)	Not applicable.	
Explosive limit - lower (%) temperature	Not applicable.	
Explosive limit - upper (%)	Not applicable.	
Explosive limit - upper (%) temperature	Not applicable.	
Vapor pressure	Not applicable.	
Vapor density	Not applicable.	
Relative density	2.6 g/cm ³	
Solubility(ies)		
Solubility (water)	< 0.9 mg/l	
Partition coefficient	Not applicable.	
(n-octanol/water)		
Auto-ignition temperature	Not applicable.	
Decomposition temperature	> 932 °F (> 500 °C)	
Viscosity	Not applicable.	
Viscosity temperature	Not applicable.	
Other information		
Bulk density	0.9 - 1.4 g/cm³	
Explosive limit	Not applicable.	
Explosive properties	Not explosive. Not explosive	
Explosivity	Not applicable.	
Fire point	Not applicable.	
Flame extension	Not applicable.	
Flame projection	Not applicable.	
Flammability	Not applicable.	

Flammability (flash back)	Not applicable.
Flammability (Heat of combustion)	Not applicable.
Flammability (Train fire)	Not applicable.
Flammability class	Not applicable.
Flash point class	Not flammable
Molecular formula	UVCB Substance
Molecular weight	Not applicable.
Oxidizing properties	Not oxidizing. None.
Percent volatile	0 %
pH in aqueous solution	8.5 - 11
Specific gravity	Not applicable.
VOC	0 %
	CARB

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation. Dust may irritate respiratory system.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity	Not known.		
Toxicological data			
Constituents	Species	Test Results	
CRISTOBALITE (CAS 14464-4	46-1)		
Acute			
Oral			
LD50	Rat	> 22500 mg/kg	
QUARTZ (CAS 14808-60-7)			
Acute			
Oral			
LD50	Rat	500 mg/kg	
* Estimates for product ma	ay be based on additional compo	nent data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.		

irritation

Respiratory or skin sensitization	1			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected t	o cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate protocological networks and the second sec	product or any components present at greater than 0.1% are		
Carcinogenicity	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.			
IARC Monographs. Overall I	Evaluation of Carcinogenicity			
CRISTOBALITE (CAS 14		1 Carcinogenic to humans.		
QUARTZ (CAS 14808-60	,	1 Carcinogenic to humans.		
	d Substances (29 CFR 1910.1	-		
CRISTOBALITE (CAS 14	,	Cancer		
••	US. National Toxicology Program (NTP) Report on Carcinogens			
CRISTOBALITE (CAS 14	CRISTOBALITE (CAS 14464-46-1) Known To Be Human Carcinogen.			
QUARTZ (CAS 14808-60	-7)	Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.		
Reproductive toxicity	,	.		
•	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Causes damage to organs the	rough prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Causes damage to organs the	rough prolonged or repeated exposure.		
12 Ecological information				

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

possibility that large of nequent spills can have a narmal of damaging check on the ch			
Product		Species	Test Results
ACCOFLOC® SDG (CAS 1302-78-9)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

CRISTOBALITE (CAS 14464-46-1)

Cancer lung effects immune system effects kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug	Total food additive
Administration (FDA)	Direct food additive
	GRAS food additive

US state regulations

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer. This product can expose you to QUARTZ, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CRISTOBALITE (CAS 14464-46-1) QUARTZ (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	27-April-2015
Revision date	21-February-2019
Version #	16
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	CETCO Energy Services Company, an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, The information relates only to the specific and may not be valid for such material used in combination with any other materials or in any process, The information relates with any other material of such material used in combination with any process, the information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process,
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Prevention Hazard(s) identification: Response Composition / Information on Ingredients: Disclosure Overrides Handling and storage: Conditions for safe storage, including any incompatibilities Exposure controls/personal protection: Appropriate engineering controls Exposure controls/personal protection: Eye/face protection Exposure controls/personal protection: Hand protection Exposure controls/personal protection: Respiratory protection Exposure controls/personal protection: Other Stability and reactivity: Conditions to avoid Toxicological Information: Toxicological Data Regulatory information: Safe Drinking Water Act (SDWA) GHS: Classification