

SAFETY DATA SHEET

1. Identification

Product identifier	RM-10® 4004	
Other means of identification	None.	
Recommended use	water supply; sewerage, waste management and remediation activities: remediation activities and other waste management services	
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	CETCO Oilfield Services Company an MTI Company	
Address	2870 Forbs Avenue	
	Hoffman Estates, IL 60192	
	United States	
Tolonhono	General Information 800 527-9948	

	ernied etailee	
Telephone	General Information	800 527-9948
Website	http://www.cetcooilfieldservices.com/	
E-mail	safetydata@mineralstech.com	
Emergency phone number	Emergency	1.866.519.4752/1 760 476 3962
Americas	1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962	

2. Hazard(s) identification

Label elements

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



	\mathbf{v}
Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	17.37% of the mixture consists of component(s) of unknown acute dermal toxicity. 12.37% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 17.37% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
QUARTZ (SIO2)		14808-60-7	5 - < 10
TRADE SECRET*		Proprietary*	5
CRISTOBALITE		14464-46-1	1 - < 3
Acrylamide		79-06-1	< 0.1
Other components below report	table levels		80 - < 90
*Designates that a specific chemic	al identity and/or percentage of composition ha	as been withheld as a trade se	ecret.
Composition comments	Occupational Exposure Limits for impurities a	are listed in Section 8.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical a	ttention if irritation develops a	nd persists.
Eye contact	Rinse with water. Get medical attention if irrit	ation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympto	ms occur.	
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effect	xts.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	eat symptomatically. Keep victi	m under observation
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect the	medical personnel are aware	
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Cark	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as the	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wo	rn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con	sider the hazards of other inve	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe appropriate protective equipment and clothin authorities should be advised if significant sp see section 8 of the SDS.	g during clean-up. Ensure ade	equate ventilation. Lo
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk Put material in suitable, covered, labeled con SDS.		
Environmental precautions	Avoid discharge into drains, water courses or	r onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Keep formation of airborne of ventilation at places where dust is formed. Do using, do not eat, drink or smoke. Should be appropriate personal protective equipment. V industrial hygiene practices.	dusts to a minimum. Provide a o not breathe dust. Avoid prolo handled in closed systems, if	ppropriate exhaust onged exposure. Wh possible. Wear
	Chara la alcad un Chara in ariginal tightlu alcas		

Store locked up. Store in original tightly closed container. Keep out of the reach of children. Store Conditions for safe storage, including any incompatibilities away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 191) Type	Value	Form
Acrylamide (CAS 79-06-1)	PEL	0.3 mg/m3	
CRISTOBALITE (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
QUARTZ (SIO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CF	R 1910.1000)		
Components	Туре	Value	Form
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
	Veluee		
US. ACGIH Threshold Limit Components	Type	Value	Form
Acrylamide (CAS 79-06-1)	TWA	0.03 mg/m3	Inhalable fraction and vapor.
CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	Form
Acrylamide (CAS 79-06-1)	TWA	0.03 mg/m3	
CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
QUARTZ (SIO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted	d for the ingredient(s).	
osure guidelines	Occupational exposure to nuisanc should be monitored and controlle		espirable crystalline silica
US - California OELs: Skin	designation		
Acrylamide (CAS 79-06- US - Minnesota Haz Subs: \$		an be absorbed through the skin.	
Acrylamide (CAS 79-06- US - Tennessee OELs: Skir	1) Sk	in designation applies.	
Acrylamide (CAS 79-06-	•	an be absorbed through the skin.	
US ACGIH Threshold Limit		C	
Acrylamide (CAS 79-06- US NIOSH Pocket Guide to	1) Ca Chemical Hazards: Skin designati	an be absorbed through the skin. on	
	5		

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Acrylamide (CAS 79-06-1)	Can be absorbed through the skin.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, s	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	3.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	65 - 75 lb/ft ³
Density	1.66 g/cm3 estimated

Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	0 % estimated
Specific gravity	2.3 - 2.5
VOC	CARB

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine.
Hazardous decomposition products	Toxic gas.

11. Toxicological information

Information on likely routes of exposure		
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	

Information on toxicological effects

Acute toxicity	Not known.		
Product	Species	Test Results	
RM-10® 4004			
<u>Acute</u>			
Dermal			
LD50	Rat	100000 mg/kg	
Inhalation			
LC50	Rat	100000 mg/l/4h	
Components	Species	Test Results	
Acrylamide (CAS 79-06-1)			
Acute			
Dermal			
LD50	Rat	400 mg/kg	
Oral			
LD50	Rat	124 mg/kg	
CRISTOBALITE (CAS 14464-46-	1)		
Acute			
Oral			
LD50	Rat	> 22500 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may o	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected	to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Material name: BM-10® 4004		SD	

Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.				
IARC Monographs. Overall Evaluation of Carcinogenicity					
Acrylamide (CAS 79-06-1) CRISTOBALITE (CAS 14464-46-1) QUARTZ (SIO2) (CAS 14808-60-7) OSHA Specifically Regulated Substances (29 CFR 1910.		2A Probably carcinogenic to humans. 1 Carcinogenic to humans. 1 Carcinogenic to humans. 101-1053)			
CRISTOBALITE (CAS 14464-46-1)		Cancer			
QUARTZ (SIO2) (CAS 14404-40-7)		Cancer			
US. National Toxicology Program (NTP) Report on Carcinogens					
Acrylamide (CAS 79-06-1) CRISTOBALITE (CAS 14464-46-1)		Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.			
QUARTZ (SIO2) (CAS 14808-60-7)		Known To Be Human Carcinogen.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation ma harmful. Prolonged exposure may cause chronic effects.				
12. Ecological information					

12. Ecological information

Local disposal regulations

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
Acrylamide (CAS 79-06-1)				
Aquatic				
Crustacea	EC50	Daphnia	98 mg/L, 48 Hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	81 - 150 mg/l, 96 hours	
		Fish	109 mg/L, 96 Hours	
Persistence and degradability	No data is	s available on the degradability of any ingr	edients in the mixture.	
Bioaccumulative potential				
Partition coefficient n-octa	nol / water (.		
Acrylamide		-0.67		
Mobility in soil	No data available.			
Other adverse effects		adverse environmental effects (e.g. ozone endocrine disruption, global warming pote		
13. Disposal consideration	ons			
Disposal instructions		nd reclaim or dispose in sealed containers container in accordance with local/regional	at licensed waste disposal site. Dispose of //national/international regulations.	

Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code disposal compa		ssigned in discussion l	petween the user, the p	producer and the waste
Waste from residues / unused products		s. This mater		npty containers or liner ust be disposed of in a	
Contaminated packaging				ue, follow label warning pproved waste handlin	gs even after container is g site for recycling or
14. Transport information					
DOT					
Not regulated as dangerous g	goods.				
ΙΑΤΑ					
Not regulated as dangerous g	goods.				
IMDG					
Not regulated as dangerous g	-				
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.				
15. Regulatory information	n				
US federal regulations	This product is a Standard, 29 Cl			by the OSHA Hazard	Communication
Toxic Substances Control A	Act (TSCA)				
TSCA Section 12(b) Exp	port Notification ((40 CFR 707	, Subpt. D)		
Not regulated.					
CERCLA Hazardous Substa	nce List (40 CFR	302.4)			
Acrylamide (CAS 79-06- SARA 304 Emergency relea	,		Listed.		
ACRYLAMIDE (CAS 79-0	,		5000 LBS		
OSHA Specifically Regulate	•	9 CFR 1910.	•		
CRISTOBALITE (CAS 14 QUARTZ (SIO2) (CAS 14			Cancer Cancer		
CRISTOBALITE (CAS 14			lung effects		
QUARTZ (SIO2) (CAS 14			lung effects		
CRISTOBALITE (CAS 14			immune system effe		
QUARTZ (SIO2) (CAS 14 CRISTOBALITE (CAS 14			immune system effe kidney effects	ects	
QUARTZ (SIO2) (CAS 14			kidney effects		
Superfund Amendments and Re	,	ct of 1986 (S	•		
SARA 302 Extremely hazardous substance					
Chemical name CA	q	eportable uantity oounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value	Threshold planning quantity, upper value

		quantity (pounds)	planning quantity (pounds)	planning quantity, lower value (pounds)	planning quantity, upper value (pounds)
Acrylamide	79-06-1	5000		1000	10000
SARA 311/312 Hazardous chemical	s No (Exempt)				
SARA 313 (TRI reporting Chemical name)	c	CAS number	% by wt.	
Acrylamide			79-06-1	< 0.1	
er federal regulations					
Clean Air Act (CAA) Sect	ion 112 Hazardou	us Air Polluta	ants (HAPs) List		
Acrylamide (CAS 79-0)6-1)				
Clean Air Act (CAA) Sect	ion 112(r) Accide	ental Release	Prevention (40 CFR 6	68.130)	
Not regulated.					
Safe Drinking Water Act (SDWA)	Contains cor	nponent(s) re	gulated under the Safe	Drinking Water Act.	

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Acrylamide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acrylamide (CAS 79-06-1)	Listed: January 1, 1990
QUARTZ (SIO2) (CAS 14808-60-7)	Listed: October 1, 1988
California Proposition 65 - CRT: Listed date/De	evelopmental toxin
Acrylamide (CAS 79-06-1)	Listed: February 25, 2011
California Proposition 65 - CRT: Listed date/Ma	ale reproductive toxin
Acrylamide (CAS 79-06-1)	Listed: February 25, 2011
US. California. Candidate Chemicals List. Safe	r Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,
subd. (a))	
Acrylamide (CAS 79-06-1)	
CRISTOBALITE (CAS 14464-46-1)	
QUARTZ (SIO2) (CAS 14808-60-7)	

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	13-April-2015
Revision date	18-June-2019
Version #	19
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	CETCO Oilfield Services Company an MTI Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.